



SUPPLEMENTAL STAFF REPORT TO THE HEARING EXAMINER

Report Date: March 2, 2026
Report Submitted By: *KW* Karen Witherspoon, AICP
Senior Project Planner
File Number: SUP25-0001 PUBLIC HEARING (26-2-001)
Project Name: Good Crushing – Amendment to Condition 23 of SUP19-0002
Scope of review is limited to the requested amendment

An email request from Hearing Examiner Scheibmeir for supplemental information was received on February 26, 2026:

Request: Since the current Permit (SPU19-0002) was approved in May, 2021:

- 1) Have any of the project site's parcels, or nearby parcels, had a change in their zoning or land use designation?

Staff Response: The answer is no. The zoning map from SUP19-0002, original Exhibit 16 (new Exhibit 18 for SUP25-0001) shows the zoning has not changed in the on the project site or in the surrounding area since SUP19-0002 was approved on May 18, 2021.

- 2) Have any nearby County roads had a change in their use classification?

Staff Response: Lewis County Public Works Director Geoff Soderquist and Lewis County Engineer Wes Anderson were requested to review this question. The answer is no. The nearby County roads have not had a change in their use classification and are the same as they were in 2021.

- 3) Has the County/Public Works issued any emergency notices requiring the operation of any mining/rock quarry operations in the County beyond their regular days and hours? If so, please list each occurrence, its cause, its date, and the length of the declared emergency.

Staff Response: Lewis County Public Works Director Geoff Soderquist, Lewis County Engineer Wes Anderson and Deputy Director of Emergency Management Erika Katt were requested to review this question. The answer is no. Since May 2021, Lewis County/Public Works has not issued any emergency notices that would require the operation of any mining/rock quarry to operate in the County beyond their regular days and hours.

ADDITIONAL EXHIBITS

Exhibit 18 SUP19-0002 Original Staff Report's Exhibit 16 – 2021 Zoning Map