

Lewis County Noxious Weed List

Lewis County Noxious Weed
Control Boardwww.lewiscountywa.gov

Noxious weeds are non-native plants that have been introduced to Washington State through human actions. Due to aggressive growth and lack of natural enemies in the state, these species can be highly destructive, competitive or difficult to control.

Class A Weeds: Non-native species whose distribution in Washington is still limited. Preventing new infestations and eradicating existing infestation are the highest priority. Eradication of all Class A plants is required by law.

Common Name	Scientific Name	Lewis County Classification	NRCS Code*
common crupina	<i>Crupina vulgaris</i>	A	CRVU2
cordgrass, common	<i>Spartina anglica</i>	A	SPAN5
cordgrass, dense-flowered	<i>Spartina densiflora</i>	A	SPDE2
cordgrass, smooth	<i>Spartina alterniflora</i>	A	SPAL
delta arrowhead	<i>Sagittaria platyphylla</i>	A	SAPL
dyer's woad	<i>Isatis tinctoria</i>	A	ISTI
eggleaf spurge	<i>Euphorbia oblongata</i>	A	EUOB4
false brome	<i>Brachypodium sylvaticum</i>	A	BRSY
floating primrose-willow	<i>Ludwigia peploides</i>	A	LUPE5
flowering rush	<i>Butomus umbellatus</i>	A	BUUM
French broom	<i>Genista monspessulana</i>	A	GEMO2
garlic mustard	<i>Alliaria petiolata</i>	A	ALPE4
giant hogweed	<i>Heracleum mantegazzianum</i>	A	HEMA17
goatsrue	<i>Galega officinalis</i>	A	GAOF
hydrilla	<i>Hydrilla verticillata</i>	A	HYVE3
Italian thistle	<i>Carduus pycnocephalus</i>	A	CAPY2
johnsongrass	<i>Sorghum halepense</i>	A	SOHA
knapweed, bighead	<i>Centaurea macrocephala</i>	A	CEMA9
kudzu	<i>Pueraria montana var. lobata</i>	A	PUMOL
marsh thistle	<i>Cirsium palustre</i>	A	CIPA6
meadow clary	<i>Salvia pratensis</i>	A	SAPR2
milk thistle	<i>Silybum marianum</i>	A	SIMA3
orange peel clematis	<i>Clematis orientalis</i>	A	CLOR
Palmer amaranth	<i>Amaranthus palmeri</i>	A	AMPA
purple starthistle	<i>Centaurea calcitrapa</i>	A	CECA2
reed sweetgrass	<i>Glyceria maxima</i>	A	GLMA3
ricefield bulrush	<i>Schoenoplectus mucronatus</i>	A	SCMU10
round leaf bittersweet	<i>Celastrus orbiculatus</i>	A	CEOR7
saltmeadow cordgrass	<i>Spartina patens</i>	A	SPPA
sage, clary	<i>Salvia sclarea</i>	A	SASC2
sage, sage	<i>Salvia aethiopis</i>	A	SAAE
silverleaf nightshade	<i>Solanum elaeagnifolium</i>	A	SOEL
slenderflower thistle	<i>Carduus tenuiflorus</i>	A	CATE2
small-flowered jewelweed	<i>Impatiens parviflora</i>	A	IMPA2
South American spongeplant	<i>Limnium laevigatum</i>	A	LILA7
Spanish broom	<i>Spartium juncum</i>	A	SPJU2
sunflower broomrape	<i>Orobancha cumana</i>	A	(N/A)
Syrian bean-caper	<i>Zygophyllum fabago</i>	A	ZYFA
Texas blueweed	<i>Helianthus ciliaris</i>	A	HECI
Turkish thistle	<i>Carduus cinereus</i>	A	CAPY2
variable-leaf milfoil	<i>Myriophyllum heterophyllum</i>	A	MYHE2

variable-leaf milfoil hybrids	<i>Myriophyllum heterophyllum</i> x <i>Myriophyllum hippuroides</i>	A	(N/A)
Vochin knapweed	<i>Centaurea nigrescens</i>	A	CENI3
waterhemp	<i>Amaranthus tuberculatus</i>	A	AMTU
wild four-o'clock	<i>Mirabilis nyctaginea</i>	A	MINY

Class B Weeds: Non-native species that are presently limited to portions of the state. Species are designated for control in regions where they are not yet widespread. Preventing infestations in these areas is a high priority. In regions where a Class B species is already abundant, control is decided at the local level (B select), with containment as the primary goal. Underlined weeds receive the highest priority for education, survey and control enforcement actions.

Class B Designates, Region 3, Lewis County:

Common Name	Scientific Name	Lewis County Classification	NRCS Code*
annual bugloss	<i>Lycopsis arvensis</i>	B designate	LYAR
black knapweed	<i>Centaurea nigra</i>	B designate	CENI2
blueweed	<i>Echium vulgare</i>	B designate	ECVU
egeria (Brazilian elodea)	<i>Egeria densa</i>	B designate	EGDE
brown knapweed	<i>Centaurea jacea</i>	B designate	CEJA
camelthorn	<i>Alhagi maurorum</i>	B designate	ALMA12
common bugloss	<i>Anchusa officinalis</i>	B designate	ANOF
common fennel	<i>Foeniculum vulgare</i>	B designate	FOVU
common hawkweed (& hybrids)	<i>Hieracium lachenalii</i>	B designate	HILA8
common reed	<i>Phragmites australis</i>	B designate	PHAU7
Dalmatian toadflax	<i>Linaria dalmatica</i> ssp. <i>dalmatica</i>	B designate	LIDAD
diffuse knapweed	<i>Centaurea diffusa</i>	B designate	CEDI3
European coltsfoot	<i>Tussilago farfara</i>	B designate	TUFA
European hawkweed (& hybrids)	<i>Hieracium sabaudum</i>	B designate	HISA4
fanwort	<i>Cabomba caroliniana</i>	B designate	CACA
garden loosestrife	<i>Lysimachia vulgaris</i>	B designate	LYVU
gorse	<i>Ulex europaeus</i>	B designate	ULEU
grass-leaved arrowhead	<i>Sagittaria graminea</i>	B designate	SAGR
hairy willow-herb	<i>Epilobium hirsutum</i>	B designate	EPHI
hanging sedge	<i>Carex pendula</i>	B designate	CAPE45
hawkweed oxtongue	<i>Picris hieracioides</i>	B designate	PIHI
Himalayan knotweed	<i>Persicaria wallichii</i>	B designate	PEWA18
hoary alyssum	<i>Berteroa incana</i>	B designate	BEIN2
houndstongue	<i>Cynoglossum officinale</i>	B designate	CYOF
indigobush	<i>Amorpha fruticosa</i>	B designate	AMFR
kochia	<i>Bassia scoparia</i>	B designate	BASC5
leafy spurge	<i>Euphorbia virgata</i>	B designate	EUESE
lesser celandine	<i>Ficaria verna</i>	B designate	FIVE2
Malta starthistle	<i>Centaurea melitensis</i>	B designate	CEME2
meadow knapweed	<i>Centaurea x gerstlaueri</i>	B designate	CEJA
mouseear hawkweed (& hybrids)	<i>Hieracium pilosella</i> (subgenus <i>Pilosella</i>)	B designate	HIPI
musk thistle	<i>Carduus nutans</i>	B designate	CANU4
myrtle spurge	<i>Euphorbia myrsinites</i>	B designate	EUMY2
orange hawkweed	<i>Hieracium aurantiacum</i>	B designate	HIAU
pale hawkweed (& hybrids)	<i>Hieracium lactucella</i> (subgenus <i>Pilosella</i>)	B designate	HILA10
perennial pepperweed	<i>Lepidium latifolium</i>	B designate	LELA2
plumeless thistle	<i>Carduus acanthoides</i>	B designate	CAAC
polar hawkweed (& hybrids)	<i>Hieracium atratum</i> (subgenus <i>Hieracium</i>)	B designate	HIAT2
policeman's helmet	<i>Impatiens glandulifera</i>	B designate	IMGL
puncturevine	<i>Tribulus terrestris</i>	B designate	TRTE
purple loosestrife	<i>Lythrum salicaria</i>	B designate	LYSA2
queen-devil hawkweed (& hybrids)	<i>Hieracium glomeratum</i>	B designate	HIGL3
rough chervil	<i>Chaerophyllum temulum</i>	B designate	CHTE5
rush skeletonweed	<i>Chondrilla juncea</i>	B designate	CHJU
Russian knapweed	<i>Rhaponticum repens</i>	B designate	ACRE3
saltcedar	<i>Tamarix ramosissima</i>	B designate	TARA
Scotch thistle	<i>Onopordum acanthium</i>	B designate	ONAC
shiny geranium	<i>Geranium lucidum</i>	B designate	GELU
smooth hawkweed (& hybrids)	<i>Hieracium laevigatum</i> (subgenus <i>Hieracium</i>)	B designate	HILA4
spotted hawkweed (& hybrids)	<i>Hieracium maculatum</i> (subgenus <i>Hieracium</i>)	B designate	HIMA3
spotted knapweed	<i>Centaurea stoebe</i>	B designate	CESTM
spurge laurel	<i>Daphne laureola</i>	B designate	DALA11
tall hawkweed (& hybrids)	<i>Hieracium piloselloides</i> (subgenus <i>Pilosella</i>)	B designate	HIPI2
velvetleaf	<i>Abutilon theophrasti</i>	B designate	ABTH
wall hawkweed (& hybrids)	<i>Hieracium murorum</i> (subgenus <i>Hieracium</i>)	B designate	HIMU
wand loosestrife	<i>Lythrum virgatum</i>	B designate	LYVI3
water primrose	<i>Ludwigia hexapetala</i>	B designate	LUHE5
whiplash hawkweed (& hybrids)	<i>Hieracium flagellare</i> (subgenus <i>Pilosella</i>)	B designate	HIFL2
white bryony	<i>Bryonia alba</i>	B designate	BRAL4
wild chervil	<i>Anthriscus sylvestris</i>	B designate	ANSY
wild basil / basil savory	<i>Clinopodium vulgare</i>	B designate	CLVU
yellow floatingheart	<i>Nymphoides peltata</i>	B designate	NYPE
yellow hawkweed (& hybrids)	<i>Hieracium caespitosum</i> (subgenus <i>Pilosella</i>)	B designate	HICA10
yellow nutsedge	<i>Cyperus esculentus</i>	B designate	CYES
yellow starthistle	<i>Centaurea solstitialis</i>	B designate	CESO3
yellowdevil hawkweed (& hybrids)	<i>Hieracium x floribundum</i> (subgenus <i>Pilosella</i>)	B designate	HIFL3

Class B Select & B**

Bohemian knotweed	<i>Fallopia x bohemicum</i>	B select	FABO
butterfly bush	<i>Buddleja davidii</i>	B select	BUDA2
Eurasian watermilfoil	<i>Myriophyllum spicatum</i>	B select	MYSP26
giant knotweed	<i>Fallopia sachalinense</i>	B select	FASA3

<u>Japanese knotweed</u>	<i>Fallopia cuspidatum</i>	B select	FAJA2
<u>parrotfeather</u>	<i>Myriophyllum aquaticum</i>	B select	MYAQ2
<u>poison-hemlock</u>	<i>Conium maculatum</i>	B select	COMA2
<u>Scotch broom</u>	<i>Cytisus scoparius</i>	B select	CYSC4
<u>tansy ragwort</u>	<i>Jacobaea vulgaris</i>	B select	JAVU
<u>yellow archangel</u>	<i>Lamium galeobdolon</i>	B select	LAGA2
common tansy	<i>Tanacetum vulgare</i>	B	TAVU
herb-robert	<i>Geranium robertianum</i>	B	GERO
ravenna grass	<i>Tripsidium ravennae</i>	B	SARA3
spurge flax	<i>Thymelaea passerina</i>	B	THPA7
sulfur cinquefoil	<i>Potentilla recta</i>	B	PORE5

Class C Weeds: Noxious weeds which are already widespread in Washington State or are of special interest to the state's agricultural industry.

Common Name	Scientific Name	Lewis County Classification	NRCS Code*
bull thistle	<i>Cirsium vulgare</i>	C Select	CIVU
Canada thistle	<i>Cirsium arvense</i>	C select	CIAR4
common holly	<i>Ilex aquifolium</i>	C Select	ILAQ80
curlyleaf pondweed	<i>Potamogeton crispus</i>	C select	POCR3
English ivy	<i>Hedera helix</i> 'Baltica'	C Select	HEHE
English ivy	<i>Hedera helix</i> 'Pittsburgh'	C Select	HEHE
English ivy	<i>Hedera helix</i> 'Star'	C Select	HEHE
English ivy	<i>Hedera hibernica</i> 'Hibernica'	C Select	HEH12
evergreen blackberry	<i>Rubus laciniatus</i>	C Select	RULA
Himalayan blackberry	<i>Rubus bifrons</i>	C Select	RUAR9
Italian arum	<i>Arum italicum</i>	C Select	ARIT
oxeye daisy	<i>Leucanthemum vulgare</i>	C Select	LEVU
reed canarygrass	<i>Phalaris arundinacea</i>	C select	PHAR3
tree-of-heaven	<i>Ailanthus altissima</i>	C Select	AIAL
wild carrot (exclude domestic subspecies)	<i>Daucus carota</i>	C select	DACA6
yellowflag iris	<i>Iris pseudacorus</i>	C select	IRPS
absinth wormwood	<i>Artemisia absinthium</i>	C	ARAB3
Austrian fieldcress	<i>Rorippa austriaca</i>	C	ROAU
babysbreath	<i>Gypsophila paniculata</i>	C	GYP A
black henbane	<i>Hyoscyamus niger</i>	C	HYNI
blackgrass	<i>Alopecurus myosuroides</i>	C	ALMY
black locust	<i>Robinia pseudoacacia</i>	C	ROPS
beach grass (European, American, & hybrids)	<i>Ammophila arenaria</i> , <i>A. breviligulata</i> , and <i>A. arenaria</i> x <i>breviligulata</i>	C	AMAR4
buffalobur	<i>Solanum rostratum</i>	C	SORO
cereal rye	<i>Secale cereale</i>	C	SECE
common barberry	<i>Berberis vulgaris</i>	C	BEVU
common catsear	<i>Hypochaeris radicata</i>	C	HYRA3
common groundsel	<i>Senecio vulgaris</i>	C	SEVU
common St. Johnswort	<i>Hypericum perforatum</i>	C	HYPE
common teasel	<i>Dipsacus fullonum</i>	C	DIFU2
English hawthorn	<i>Crataegus monogyna</i>	C	CRMO3
Eurasian watermilfoil hybrid	<i>Myriophyllum spicatum</i> x <i>M. sibiricum</i>	C	MYSP2
field bindweed	<i>Convolvulus arvensis</i>	C	COAR4
fragrant waterlily	<i>Nymphaea odorata</i>	C	NYOD
green alkanet	<i>Pentaglottis sempervirens</i>	C	PESE10
hairy whitetop	<i>Lepidium appelianum</i>	C	CAPU6
hoary cress	<i>Lepidium draba</i>	C	CADR
Japanese eelgrass	<i>Nanozostera japonica</i>	C	NANOZ
jointed goatgrass	<i>Aegilops cylindrica</i>	C	AECY
jubata grass	<i>Cortaderia jubata</i>	C	COJU2
lawnweed	<i>Soliva sessilis</i>	C	SOSE2
longspine sandbur	<i>Cenchrus longispinus</i>	C	CELO3
medusahead	<i>Cenchrus longispinus</i>	C	TACA8
narrowleaf cattail (& hybrids)	<i>Typha angustifolia</i>	C	TYAN
nonnative cattail (& hybrids)	<i>Typha domingensis</i>	C	TYDO
nonnative cattail (& hybrids)	<i>Typha minima</i>	C	(N/A)
nonnative cattail (& hybrids)	<i>Typha x glauca</i>	C	TYGL
Norway maple	<i>Acer platanoides</i>	C	ACPL
old man's beard	<i>Clematis vitalba</i>	C	CLV16
pampas grass	<i>Cortaderia selloana</i>	C	COSE4
perennial sowthistle	<i>Sonchus arvensis</i> ssp. <i>Arvensis</i>	C	SOARA2
Russian olive	<i>Elaeagnus angustifolia</i>	C	ELAN
scentless mayweed	<i>Tripleurospermum inodorum</i>	C	TRPE21
smoothseed alfalfa dodder	<i>Cuscuta approximata</i>	C	CUAP2
spikeweed	<i>Centromadia pungens</i>	C	CEPUP6
spiny cocklebur	<i>Xanthium spinosum</i>	C	XASP2
spotted jewelweed	<i>Impatiens capensis</i>	C	IMCA
swainsonpea	<i>Sphaerophysa salsula</i>	C	SPSA3
ventenata	<i>Ventenata dubia</i>	C	VEDU
white cockle	<i>Silene latifolia</i>	C	SILAA3
yellow toadflax	<i>Linaria vulgaris</i>	C	LIVU2

* NRCS Code: go to website <http://plants.usda.gov/java/> and insert code in search (symbol) for additional information, photos and distribution.

** Contact the Lewis County Weed Board for additional information regarding compliance and management of select noxious weeds, weed

Lewis County Noxious Weed Control Board
125 NW Chehalis Ave., Chehalis, WA 98532
Phone: 360 740 1215 E-mail: weeds@lewiscountvwa.gov

Washington State Noxious Weed List (Ch. 16-750 WAC)
The Washington State Noxious Weed List is updated annually.
Everyone is encouraged to participate in the process.
For additional information, contact: Washington State Noxious Weed Control Board
PO Box 42560 -- 1111 Washington Street Olympia, WA 98504-2560